



ACCORDING TO US CFR 1910.1200

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name AquaGrip.
Trade Name AquaGrip.
CAS No. Not applicable.

1.2 Relevant identified uses of the substance or mixture and uses advised against
Identified Use(s) Primer adhesive.
Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Grafo Products
Address of Manufacturer Old Goods Depot
St Johns Road
Saxmundham
Suffolk
United Kingdom

Postal code IP17 1BE
Telephone: 0044 1728 603664
Fax Not known.
E-mail grafoproducts@btinternet.com
Office hours 09:00 - 17:00

Supplier

Company Identification Agua-Seal waterproofing Systems USALlc
Address of Supplier Charleston
South Carolina
USA
Telephone: +1 843-614-9663

1.4 Emergency telephone number

Emergency Phone No. 0044 1728 603664
Contact Glenn Coles

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

US CFR 1910.1200 Not classified as dangerous for supply/use.

2.2 Label elements

Product Name US CFR 1910.1200
AquaGrip.

Hazard Pictogram(s)

Signal Word(s) None.

Hazard Statement(s) None.

Precautionary Statement(s) None.

2.3 Other hazards

None known.

2.4 Additional Information

None.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Pyriithione zinc	13463-41-7	>0.05	Acute Tox. 3 H301 Eye Dam. 1 H318	GHS06 GHS07

			Acute Tox. 4 H332	GHS05
2-methyl-2H-isothiazol-3-one	2682-20-4	≤0.05	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Eye Dam. 1 H318 STOT SE 3 H335	GHS06 GHS05 GHS07
Zinc oxide	1314-13-2	<0.05	Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS09
1,2-benzisothiazol-3(2H)-one	2634-33-5	>0.01	Acute Tox. 4 H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Dam. 1 H318 Aquatic Acute 1 H400	GHS07 GHS05 GHS09
Diuron (ISO)	330-54-1	<0.01	Acute Tox. 4 H302 Carc. 2 H351 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS08 GHS07 GHS09
Ammonia	1336-21-6	<0.01	Skin Corr. 1A H314 STOT SE 3 H335	GHS07 GHS05
Octhilinone (ISO)	26530-20-1	<0.01	Acute Tox. 4 H302 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Acute Tox. 3 H331 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS07 GHS05 GHS09

4. SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash skin with water.
Eye Contact	Flush eyes with water for at least 15 minutes.
Ingestion	Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

5. SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

None anticipated. Heating may cause decomposition.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Wash hands thoroughly after handling. Do not eat, drink or smoke at the work place.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

Strong oxidizing agents.

7.3 Specific end use(s)

Primer adhesive.

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Diuron	330-54-1		10			ACGIH TLV, A4
Diuron	330-54-1		10			OSHA PEL
Zinc oxide	1314-13-2		2		10	ACGIH TLV, R
Zinc oxide fume	1314-13-2		5			OSHA PEL Z-1
Zinc oxide (total dust)	1314-13-2		15			OSHA PEL Z-1
Zinc oxide (Respirable fraction)	1314-13-2		5			OSHA PEL Z-1
Zinc oxide fume	1314-13-2		5		10	OSHA PEL
Zinc oxide fume	1314-13-2		5		10	NIOSH REL Z-1
Zinc oxide (total dust)	1314-13-2		5			NIOSH REL Z-1, C = 15mg/m ³

Remark	Notes
ACGIH TLV	The American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®)
A4	Not Classifiable as a Human Carcinogen
OSHA PEL	Occupational Safety and Health (OSHA) Permissible Exposure Limits (PELs).
R	Respirable particulate matter
OSHA PEL Z-1	Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) from 29 CFR 1910.1000 Z-1 Table
NIOSH REL Z-1	National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (RELs) from the NIOSH Pocket Guide to Chemical Hazards table Z-1: Up to 10-hour time weighted average (TWA) during a 40-hour work week
C = 15mg/m ³	Ceiling limit of 15mg/m ³

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment

Wear suitable eye/face protection.



Eye Protection



Skin protection

Not normally required. Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection

Normally no personal respiratory protection is necessary.

Thermal hazards

Not applicable.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid.
Odor	Color : Clear Blue.
Odor threshold	Slightly Sweet.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash Point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Density (g/ml)	Not available.
Relative density	Not available.
Solubility(ies)	Solubility (Water) : Completely soluble in water.
	Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	17 seconds [Ford cup 4] @ 68°F
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

9.2 Other information

None.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Heat and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 87719.30000
Acute toxicity - Skin Contact	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 600000.00000
Acute toxicity - Inhalation	Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 18333.33000
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Not classified.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Other information	None.

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and Degradation

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Completely soluble in water. The product is predicted to have high mobility in soil.

12.5 Other adverse effects

Not known.

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose at suitable refuse site.

13.2 Additional Information

Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

15. SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Toxic and hazardous substances (29 CFR 1910; Subpart Z)	Listed : 1314-13-2
National emission standards for hazardous air pollutants (40 CFR 61.01)	Listed : 1314-13-2
SARA Title III Section 313	Listed : 1314-13-2
TSCA (Toxic Substance Control Act)	Listed : 2634-33-5, 2682-20-4, 13463-41-7, 26530-20-1, 1314-13-2, 1336-21-6
CAA 602 - Ozone Depleting Substances (ODS)	Not listed

15.2 US State Regulations

State Right to Know Lists	
Proposition 65 (California)	Listed : 330-54-1

Minnesota Listed : 330-54-1, 1314-13-2
 New Jersey Listed : 13463-41-7, 330-54-1, 1314-13-2, 1336-21-6
 Pennsylvania Listed : 13463-41-7, 1314-13-2, 1336-21-6
 Rhode Island Listed : 330-54-1, 1314-13-2

15.3 Other

CAA 602 - Ozone Depleting Substances (ODS) Not listed

OSHA (List of Highly Hazardous Chemicals, Toxics and Reactives) Not listed

NTP (National Toxicology Program) Not listed

IARC (International Agency for Research on Cancer) Not listed

16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

LEGEND

Hazard Pictogram(s)

GHS06: GHS: skull and crossbones
 GHS07: GHS: exclamation mark
 GHS05: GHS: corrosive
 GHS09: GHS: fish and tree
 GHS08: GHS: health hazard

Hazard Statement(s)

H301: Toxic if swallowed.
 H302: Harmful if swallowed.
 H311: Toxic in contact with skin.
 H314: Causes severe skin burns and eye damage.
 H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H318: Causes serious eye damage.
 H331: Toxic if inhaled.
 H332: Harmful if inhaled.
 H335: May cause respiratory irritation.
 H351: Suspected of causing cancer.
 H373: May cause damage to organs through prolonged or repeated exposure.
 H400: Very toxic to aquatic life.
 H410: Very toxic to aquatic life with long lasting effects.

Acronyms

CAS : Chemical Abstracts Service
 LTEL : Long Term Exposure Limit
 STEL : Short Term Exposure Limit
 STOT : Specific Target Organ Toxicity

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Grafo Products gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Grafo Products accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.