

#### ACCORDING TO US CFR 1910.1200

# SECTION 1 PRODUCT AND COMPANY INFORMATION

	Product identifier
Product Name	AquaGrip.
Trade Name	AquaGrip.
CAS No.	Not applicable.
1.1 Relevant identified uses of the s	ubstance or mixture and uses advised against
Identified Use(s)	Primer adhesive.
Uses Advised Against	None known.
1.2 Details of the supplier of the safe	ty data sheet
Manufacturer	
Company Identification	Agua-Seal Waterproofing Systems USA LLC
Address of Manufacturer	2506 Birkenhead Dr.
	Charleston, SC 29414
Telephone:	(843) 614-9663
Fax	Not known.
E-mail	info@aguaseal.net
1.3 Emergency telephone number	
Emergency Phone No.	0044 1728 603664

Glenn Coles

### SECTION 2 HAZARDS IDENTIFICATION

<ul><li>2.1 Classification of the substance of US CFR 1910.1200</li><li>2.2 Label elements</li></ul>	or mixture Not classified as dangerous forsupply/use.
	US CFR 1910.1200
Product Name	AquaGrip.
Hazard Pictogram(s)	
Signal Word(s)	None.
Hazard Statement(s)	None.
Precautionary Statement(s) 2.3 Other hazards	None.
2.4 Additional Information	None known.
	None.

### SECTION 3 COMPOSITION / INGREDIENTS

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

Contact

HAZARDOUS INGREDIENT(S)	CAS No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Pyrithione zinc	13463-41-7	>0.05	Acute Tox. 3 H301	GHS06
			Eye Dam. 1 H318	GHS07

			Acute Tox. 4 H332	GHS05
2-methyl-2H-isothiazol-3-one	2682-20-4	≤0.05	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Eye Dam. 1 H318 STOT SE 3 H335	GHS06 GHS05 GHS07
Zinc oxide	1314-13-2	<0.05	Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS09
1,2-benzisothiazol-3(2H)-one	2634-33-5	>0.01	Acute Tox. 4 H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Dam. 1 H318 Aquatic Acute 1 H400	GHS07 GHS05 GHS09
Diuron (ISO)	330-54-1	<0.01	Acute Tox. 4 H302 Carc. 2 H351 STOT RE 2 H373 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS08 GHS07 GHS09
Ammonia	1336-21-6	<0.01	Skin Corr. 1A H314 STOT SE 3 H335	GHS07 GHS05
Octhilinone (ISO)	26530-20-1	<0.01	Acute Tox. 4 H302 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Acute Tox. 3 H331 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS07 GHS05 GHS09

# SECTION 4 FIRST AID MEASURES

4.1 Description of first aid measure	S		
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position		
	comfortable forbreathing.		
Skin Contact	Wash skin with water.		
Eye Contact	Flush eyes with water for at least 15 minutes.		
Ingestion	Wash out mouth withwater.		
4.2 Most important symptoms and effects, both acute and delayed			
None anticipated. Treat symptomatically.			
4.3 Indication of any immediate medical attention and special treatment needed			
	Unlikely to be required but if necessary treat symptomatically.		

# SECTION 5 FIRE FIGHTING MEASURES

5.1	Extinguishing media	
Suita	able Extinguishing media	As appropriate forsurrounding fire.
Unsi	uitable extinguishing media	None.
5.2	Special hazards arising from the	substance or mixture None anticipated. Heating may cause decomposition.
5.3	Advice for firefighters	
		Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

6.2 Environmental precautions

Do not release large quantities into the surface water or into drains.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material.

6.4 Reference to other sections

See Also Section 8, 13.

### SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Wash hands thoroughly after handling. Do not eat, drink or smoke at the work place.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	Ambient.
Storage life	Stable under normalconditions.
Incompatible materials	Strong oxidizingagents.
7.3 Specific end use(s)	

Primer adhesive.

### SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Diuron	330-54-1		10			ACGIH TLV, A4
Diuron	330-54-1		10			OSHA PEL
Zinc oxide	1314-13-2		2		10	ACGIH TLV, R
Zinc oxide fume	1314-13-2		5			OSHA PEL Z-1
Zinc oxide (total dust)	1314-13-2		15			OSHA PEL Z-1
Zinc oxide (Respirable fraction)	1314-13-2		5			OSHA PEL Z-1
Zinc oxide fume	1314-13-2		5		10	OSHA PEL
Zinc oxide fume	1314-13-2		5		10	NIOSH REL Z-1
Zinc oxide (total dust)	1314-13-2		5			NIOSH REL Z-1, C = 15mg/m3

RemarkNotesACGIH TLVThe American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®)A4Not Classifiable as a Human CarcinogenOSHA PELOccupational Safety and Health (OSHA) Permissible Exposure Limits (PELs).RRespirable particulatematter

OSHA PEL Z-1 Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) from 29 CFR 1910.1000 Z-1 Table

NIOSH REL Z-1 National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (RELs) from the NIOSH Pocket Guide to Chemical Hazards table Z-1: Up to 10-hour time weighted average (TWA) during a 40-hour work week

C = 15mg/m3 Ceiling limit of 15mg/m3

8.2 Exposure controls


8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protectionequipment

Wear suitable eye/face protection.



Eye Protection



Thermal hazards

Not applicable.

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties			
Appearance	Liquid.		
	Color : Clear Blue.		
Odor	Slightly Sweet.		
Odor threshold	Notavailable.		
рН	Notavailable.		
Melting point/freezing point	Not available.		
Initial boiling point and boiling range	Not available.		
Flash Point	Notavailable.		
Evaporation rate	Notavailable.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability orexplosive	Not available.		
limits			
Vapor pressure	Notavailable.		
Vapor density	Notavailable.		
Density (g/ml)	Notavailable.		
Relative density	Notavailable.		
Solubility(ies)	Solubility (Water) : Completely soluble inwater.		
	Solubility (Other) : Not known.		
Partition coefficient: n-octanol/water	Notavailable.		
Auto-ignition temperature	Notavailable.		
Decomposition Temperature	Notavailable.		
Viscosity	17 seconds [Ford cup 4] @ 68°F		
Explosive properties	Not explosive.		
Oxidizing properties	Not oxidizing.		
9.2 Other information			
	None.		

# SECTION 10 STABILITY AND REACTIVITY

10.1	Reactivity	
		Stable under normal conditions.
10.2	Chemical Stability	Stable under normal conditions
10.3	Possibility of hazardous reaction	
	1	No hazardous reactions known if used for its intended purpose.
10.4	Conditions to avoid	
10.5	Incompatible materials	Heat and direct sunlight.
		Strong oxidizing agents.
10.6	Hazardous decomposition produ	icts

No hazardous decomposition products known.

# SECTION 11 TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 87719.30000
Acute toxicity - Skin Contact	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 600000.00000
Acute toxicity - Inhalation	Not classified.
	Calculated acute toxicity estimate (ATE) Calc ATE - 18333.33000
Skin corrosion/irritation	Not classified.
Serious eye damage/irritation	Not classified.
Skin sensitization data	Not classified.
Respiratory sensitization data	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Lactation	Not classified.
STOT - single exposure	Not classified.
STOT - repeated exposure	Not classified.
Aspiration hazard	Not classified.
11.2 Other information	
	None.

### SECTION 12 ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity -Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.
12.2 Persistence and Degradation	

12.3 Bioaccumulative potential

12.4 Mobility in soil Other adverse effects No information available.

No information available.

Completely soluble in water. The product is predicted to have high mobility in soil. Not known.

12.5 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity -Terrestrial Compartment 12.6 Persistence and Degradation	Not classified.

12.7 Bioaccumulative potential

- 12.8 Mobility in soil
- 12.9 Other adverse effects

No information available.

No information available.

Completely soluble in water. The product is predicted to have high mobility in soil. Not known.

### SECTION 13 DISPOSAL CONSIDERATION

 13.1
 Waste treatment methods:

 Dispose at suitable refuse
 Listed : 1314-13-2

 sight.
 Listed : 1314-13-2

Additional Information: Dispose of contents in accordance with local, state or national legislation.

### SECTION 14 TRANSPORT INFORMATION

Not classified as hazardous for transport.

### SECTION 15 REGULATORY INFORMATION

 15.1
 US Federal

 Regulations Toxic and

 hazardous substances (29 CFR

 1910; Subpart Z)

 National emission standards for

 hazardous air pollutants (40 CFR 61.01)

 SARA Title III Section 313
 Listed : 1314-13-2

 TSCA (Toxic Substance Control Act)
 Listed : 2634-33-5, 2682-20-4, 13463-41-7, 26530-20-1, 1314-13-2, 1336-21-6

 CAA 602 - Ozone Depleting Substances (ODS)
 15.2

 US State Regulations
 State Right to KnowLists

### SECTION 16 OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

1-16

Hazard Pictogram(s)	
	GHS06: GHS: skull and crossbones
	GHS07: GHS: exclamation mark
	GHS05: GHS: corrosive
	GHS09: GHS: fish and tree
	GHS08: GHS: health hazard
Hazard Statement(s)	H301: Toxic if swallowed.
	H302: Harmful ifswallowed.
	H311: Toxic in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H317: May cause an allergic skin reaction.
	H318: Causes serious eye damage.
	H331: Toxic if inhaled.

	H332: Harmful if inhaled.
	H335: May cause respiratory irritation.
	H351: Suspected of causing cancer.
	H373: May cause damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
Acronyms	CAS : Chemical Abstracts Service
	LTEL : Long Term Exposure Limit
	STEL : Short Term Exposure Limit
	STOT : Specific Target Organ Toxicity
Disclaimers	Information contained in this publication or as otherwise supplied to Users is believed
	to be accurate and is given in good faith, but it is for the Users to satisfy themselves
	of the suitability of the product for their own particular purpose. Grafo Products gives
	no warranty as to the fitness of the product for any particular purpose and any implied
	warranty or condition (statutory or otherwise) is excluded except to the extent that
	exclusion is prevented by law. Grafo Products accepts no liability for loss or damage
	(other than that arising from death or personal injury caused by defective product, if
	proved), resulting from reliance on this information. Freedom under Patents,
	Copyright and Designs cannot be assumed.